IMEO Eye on Methane data platform

Data Dictionary

IMEO built the Eye on Methane data platform to drive climate action. We invite you to use this data to identify and mitigate methane emissions.

The following table outlines the structure of the CSV file and the properties of features in the GeoJSON file available for download on the IMEO Methan Data portal. The table specifies the data on the methane plumes data layer, specifically variable name, description, data type, and an example of a typical value. This information is intended to help users interpret the dataset and facilitate its proper usage. For any other clarification, please visit the Frequently Asked Questions section or send an email to unep-mars@un.org

The data may not be used for any commercial purposes and is shared under a Creative Commons <u>BY-NC-SA 4.0</u> ("Attribution-NonCommercial-ShareAlike 4.0 International") license. This means you are free to share and adapt the material, if you credit UNEP's <u>International Methane Emissions Observatory</u> and indicate whether any changes were made.

Column name	Definition	Туре	Example
id_plume	Unique 36-character identification code	String	bd5f3817-ded2-
	of each plume.	(text)	4cc1-9a5d-
			a0d02968865f
satellite	Name of the satellite and the agency	String	Sentinel-2 - ESA
	responsible for the observation.		
tile_date	Timestamp of the satellite observation	String	2020-01-
	in ISO 8601 format*		01T12:00:00
lat	Latitude of the source location (north-	Numeric	12.34567
	south direction) in degrees, based on		
	EPSG 4326.		
lon	Longitude of the source location (east-	Numeric	12.34567
	west direction) in degrees, based on		
	EPSG 4326.		
notified	TRUE indicates whether the plume was	Bool	TRUE
	notified to governments and/or OGMP		
	2.0 companies (if applicable). FALSE		
	indicates that the plume was not		
	notified because it was not 'actionable' .		
country	Name of the country where the	String	United States of
	emission occurred.		America
sector	Economic sector associated with the	String	Oil and Gas
	emission (e.g., Oil and Gas, Coal or		
	Waste).		
ch4_fluxrate	. A methane flux rate is a measure of	Numeric	3500
	the rate at which methane gas (CH_4) is		
	emitted from a specific source into the		
	atmosphere over time. It quantifies the		

*The **timestamp of satellite observation** in **ISO 8601 format, which** refers to a standardized way of representing the exact date and time when the observation occurred. The **Time zone is** represented in UTC.

	mass of methane released by unit of		
	time in kilograms per hour (kg/h).		
	Usual range between 500-10000.		
ch4_fluxrate_std	Standard deviation of the estimated	Numeric	400
	methane flux rate, measured in		
	kilograms per hour kg/h. Usual range		
	between 200 and 1000 kg/h.		
wind_u	Eastward component of wind speed,	Numeric	1.00
	measured in m/s.		
wind_v	Northward component of wind speed,	Numeric	1.00
	measured in m/s.		
total_emission	Total mass of methane attributable to	Numeric	100
—	the emission, in tonnes. Only available		
	for estimates made with a combination		
	of VIIRS and Sentinel-3 or GOES.		
total_emission_	Standard deviation of the total estimate	Numeric	10
std	methane mass, in tonnes. Only	Numerie	10
310	available for estimates made with a		
	combination of VIIRS and Sentinel-3 or		
	GOES.		
wind_speed		Numeric	1.00
wind_speed	Magnitude of the windspeed, measured in m/s.	Numeric	1.00
laat undata		Ctring of	2020.01
last_update	Timestamp of the most recent	String	2020-01-
	modification to the plume entry, in ISO		01T12:00:00.00000
	8601 format.		0
actionable	• YES if the (high-resolution and	String	
	from the O&G sector) plume is		
	attributable to a facility and		
	validated by MARS remote		
	sensing experts approximately		
	15 days from image acquisition		
	 NO if the (high-resolution and 		
	from the O&G sector) plume is		
	not attributable to a facility		
	and/or validated by MARS		
	remote sensing experts		
	approximately 15 days from		
	image acquisition		
	• 'Not applicable' if the plume is		
	not from the oil and gas sector		
	and not high-resolution		
	_		
	'Not available' for plumes where validation data is not		
	whose validation date is not		
	available (i.e. for plumes		
		1	1
	detected before May 2024)		
insert_date	Timestamp of when the plume was	String	2020-01-
insert_date		String	2020-01- 01T12:00:00.00000 0

*The **timestamp of satellite observation** in **ISO 8601 format, which** refers to a standardized way of representing the exact date and time when the observation occurred. The **Time zone is** represented in UTC.

detection_instit	Name of the institution responsible for	String	UNEP IMEO MARS
ution	detecting the emission.	oung	
quantification_i	Name of the institution responsible for	String	UNEP IMEO MARS
nstitution	quantifying the emission.		
tile	Id of the satellite product from which the plume was detected.	String	S2B_MSIL1C_2022 1102T102059_N04 00_R065_T31SGR_ 20221102T122533
feedback_opera tor	It will be marked as YES if feedback was received It will be marked as NO if feedback has not (yet) been received It will be marked as NOT AVAILABLE in the following cases: • For plumes detected before 2024-12-15 • For plumes that have not been notified (because they were not actionable)	String	
feedback_gover nment	It will be marked as YES if feedback was received It will be marked as NO if feedback has not (yet) been received It will be marked as NOT AVAILABLE in the following cases: • For plumes detected before 2024-11-15 • For plumes that have not been notified (because they were not actionable)	String	

*The **timestamp of satellite observation** in **ISO 8601 format, which** refers to a standardized way of representing the exact date and time when the observation occurred. The **Time zone is** represented in UTC.